

Represented by:

The DiMaggio Technical Products Group

Peter J. DiMaggio

President
(978) 846-0463
peterjdimaggio@TDTPG.com
www.TDTPG.com




Manufacturers Representative to the high tech of New England

STANDARD

EXTRUSION

PROFILES



 **Cooling Source[®]**


| No. | Material Number | Specifications | Page # |
|-----|-----------------|----------------------|--------|
| 1 | CS500-100-BA-00 | 23.00*9.20*FREE±0.2 | 06 |
| 2 | CS500-101-BA-00 | 41.95*10.0*FREE±0.2 | 06 |
| 3 | CS500-102-BA-00 | 20.0*9.14*FREE±0.2 | 06 |
| 4 | CS500-103-BA-00 | 23.0*9.2*FREE±0.2 | 06 |
| 5 | CS500-104-BA-00 | 36.83*22.5*FREE±0.2 | 06 |
| 6 | CS500-105-BA-00 | 40.0*18.0*FREE±0.2 | 06 |
| 7 | CS500-106-BA-00 | 36.8*10.44*FREE±0.2 | 06 |
| 8 | CS500-107-BA-00 | 26.0*7.0*FREE±0.2 | 06 |
| 9 | CS500-108-BA-00 | 50.74*10.0*FREE±0.2 | 07 |
| 10 | CS500-109-BA-00 | 50.0*18.75*FREE±0.2 | 07 |
| 11 | CS500-110-BA-00 | 50.8*7.9*FREE±0.2 | 07 |
| 12 | CS500-111-BA-00 | 53.34*10.4*FREE±0.2 | 07 |
| 13 | CS500-112-BA-00 | 35.0*6.6*FREE±0.2 | 07 |
| 14 | CS500-113-BA-00 | 54.0*26.0*FREE±0.2 | 07 |
| 15 | CS500-114-BA-00 | 55.0*23.0*FREE±0.2 | 07 |
| 16 | CS500-115-BA-00 | 92.0*6.45*FREE±0.2 | 07 |
| 17 | CS500-116-BA-00 | 92.0*6.50*FREE±0.2 | 08 |
| 18 | CS500-117-BA-00 | 162.0*29.70*FREE±0.2 | 08 |
| 19 | CS500-118-BA-00 | 65.0*10.5*FREE±0.2 | 08 |
| 20 | CS500-119-BA-00 | 74.93*9.0*FREE±0.2 | 08 |
| 21 | CS500-120-BA-00 | 50.8*8.4*FREE±0.2 | 08 |
| 22 | CS500-121-BA-00 | 62.20*10.0*FREE±0.2 | 08 |
| 23 | CS500-122-BA-00 | 170.0*20.5*FREE±0.5 | 08 |
| 24 | CS500-123-BA-00 | 198.0*43.7*FREE±0.5 | 08 |
| 25 | CS500-124-BA-00 | 190.0*43.7*FREE±0.5 | 09 |
| 26 | CS500-125-BA-00 | 56.0*20.0*FREE±0.2 | 09 |
| 27 | CS500-126-BA-00 | 56.0*40.0*FREE±0.2 | 09 |
| 28 | CS500-127-BA-00 | 51.0*15.1*FREE±0.2 | 09 |
| 29 | CS500-128-BA-00 | 48.0*16.0*FREE±0.2 | 09 |
| 30 | CS500-129-BA-00 | 48.0*34.0*FREE±0.2 | 09 |
| 31 | CS500-130-BA-00 | 48.0*22.0*FREE±0.2 | 09 |
| 32 | CS500-131-BA-00 | 48.0*17.1*FREE±0.2 | 09 |
| 33 | CS500-132-BA-00 | 18.4*9.5*FREE±0.2 | 10 |
| 34 | CS500-133-BA-00 | 48.0*22.0*FREE±0.2 | 10 |
| 35 | CS500-134-BA-00 | 59.20*12.2*FREE±0.2 | 10 |
| 36 | CS500-135-BA-00 | 59.5*30.0*FREE±0.2 | 10 |
| 37 | CS500-136-BA-00 | 78.0*20.99*FREE±0.2 | 10 |
| 38 | CS500-137-BA-00 | 25.0*12.1*FREE±0.2 | 10 |
| 39 | CS500-138-BA-00 | 150.0*27.67*FREE±0.2 | 10 |
| 40 | CS500-139-BA-00 | 35.0*10.0*FREE±0.2 | 10 |
| 41 | CS500-140-BA-00 | 91.45*12.5*FREE±0.2 | 11 |
| 42 | CS500-141-BA-00 | 20.0*12.0*FREE±0.2 | 11 |
| 43 | CS500-142-BA-00 | 26.92*19.05*FREE±0.2 | 11 |
| 44 | CS500-143-BA-00 | 21.0*8.99*FREE±0.2 | 11 |
| 45 | CS500-144-BA-00 | 18.5*9.5*FREE±0.2 | 11 |
| 46 | CS500-145-BA-00 | 26.0*8.2*FREE±0.2 | 11 |
| 47 | CS500-146-BA-00 | 24.1*6.5*FREE±0.2 | 11 |
| 48 | CS500-147-BA-00 | 89.93*19.62*FREE±0.2 | 11 |
| 49 | CS500-148-BA-00 | 101.6*39.1*FREE±0.2 | 12 |
| 50 | CS500-149-BA-00 | 26.0*7.0*FREE±0.2 | 12 |
| 51 | CS500-150-BA-00 | 20.0*9.14*FREE±0.2 | 12 |
| 52 | CS500-151-BA-00 | 23.0*9.2*FREE±0.2 | 12 |

| No. | Material Number | Specifications | Page # |
|-----|-----------------|----------------------|--------|
| 53 | CS500-152-BA-00 | 36.83*22.5*FREE±0.2 | 12 |
| 54 | CS500-153-BA-00 | 40.0*18.0*FREE±0.2 | 12 |
| 55 | CS500-154-BA-00 | 36.8*10.44*FREE±0.2 | 12 |
| 56 | CS500-155-BA-00 | 41.95*10.0*FREE±0.2 | 12 |
| 57 | CS500-156-BA-00 | 50.74*10.0*FREE±0.2 | 13 |
| 58 | CS500-157-BA-00 | 50.0*18.75*FREE±0.2 | 13 |
| 59 | CS500-158-BA-00 | 50.8*7.9*FREE±0.2 | 13 |
| 60 | CS500-159-BA-00 | 53.34*10.4*FREE±0.2 | 13 |
| 61 | CS500-160-BA-00 | 35.0*6.6*FREE±0.2 | 13 |
| 62 | CS500-161-BA-00 | 54.0*26.0*FREE±0.2 | 13 |
| 63 | CS500-162-BA-00 | 55.0*23.0*FREE±0.2 | 13 |
| 64 | CS500-163-BA-00 | 92.0*6.45*FREE±0.2 | 13 |
| 65 | CS500-164-BA-00 | 92.0*6.50*FREE±0.2 | 14 |
| 66 | CS500-165-BA-00 | 162.0*29.70*FREE±0.2 | 14 |
| 67 | CS500-166-BA-00 | 65.0*10.5*FREE±0.2 | 14 |
| 68 | CS500-167-BA-00 | 74.93*9.0*FREE±0.2 | 14 |
| 69 | CS500-168-BA-00 | 50.8*8.4*FREE±0.2 | 14 |
| 70 | CS500-169-BA-00 | 62.20*10.0*FREE±0.2 | 14 |
| 71 | CS500-170-BA-00 | 170.0*20.5*FREE±0.5 | 14 |
| 72 | CS500-171-BA-00 | 198.0*43.7*FREE±0.5 | 14 |
| 73 | CS500-172-BA-00 | 190.0*43.7*FREE±0.5 | 15 |
| 74 | CS500-173-BA-00 | 56.0*20.0*FREE±0.2 | 15 |
| 75 | CS500-174-BA-00 | 56.0*40.0*FREE±0.2 | 15 |
| 76 | CS500-175-BA-00 | 51.0*15.1*FREE±0.2 | 15 |
| 77 | CS500-176-BA-00 | 48.0*16.0*FREE±0.2 | 15 |
| 78 | CS500-177-BA-00 | 48.0*34.0*FREE±0.2 | 15 |
| 79 | CS500-178-BA-00 | 48.0*22.0*FREE±0.2 | 15 |
| 80 | CS500-179-BA-00 | 48.0*17.1*FREE±0.2 | 15 |
| 81 | CS500-180-BA-00 | 18.4*9.5*FREE±0.2 | 16 |
| 82 | CS500-181-BA-00 | 48.0*22.0*FREE±0.2 | 16 |
| 83 | CS500-182-BA-00 | 59.20*12.2*FREE±0.2 | 16 |
| 84 | CS500-183-BA-00 | 59.5*30.0*FREE±0.2 | 16 |
| 85 | CS500-184-BA-00 | 78.0*20.99*FREE±0.2 | 16 |
| 86 | CS500-185-BA-00 | 25.0*12.1*FREE±0.2 | 16 |
| 87 | CS500-186-BA-00 | 150.0*27.67*FREE±0.2 | 16 |
| 88 | CS500-187-BA-00 | 35.0*10.0*FREE±0.2 | 16 |
| 89 | CS500-188-BA-00 | 91.45*12.5*FREE±0.2 | 17 |
| 90 | CS500-189-BA-00 | 20.0*12.0*FREE±0.2 | 17 |
| 91 | CS500-190-BA-00 | 26.92*19.05*FREE±0.2 | 17 |
| 92 | CS500-191-BA-00 | 21.0*8.99*FREE±0.2 | 17 |
| 93 | CS500-192-BA-00 | 18.5*9.5*FREE±0.2 | 17 |
| 94 | CS500-193-BA-00 | 26.0*8.2*FREE±0.2 | 17 |
| 95 | CS500-194-BA-00 | 24.1*6.5*FREE±0.2 | 17 |
| 96 | CS500-195-BA-00 | 89.93*19.62*FREE±0.2 | 17 |
| 97 | CS500-196-BA-00 | 87.0*12.3*FREE±0.2 | 18 |
| 98 | CS500-197-BA-00 | 51.55*12.0*FREE±0.2 | 18 |
| 99 | CS500-198-BA-00 | 54.0*22.6*FREE±0.2 | 18 |
| 100 | CS500-199-BA-00 | 14.0*9.0*FREE±0.2 | 18 |
| 101 | CS500-200-BA-00 | 63.5*25.0*FREE±0.2 | 18 |
| 102 | CS500-201-BA-00 | 28.0*25.0*FREE±0.2 | 18 |
| 103 | CS500-202-BA-00 | 110.0*19.0*FREE±0.2 | 18 |
| 104 | CS500-203-BA-00 | 37.55*10.62*FREE±0.2 | 18 |

| No. | Material Number | Specifications | Page # |
|-----|-----------------|-----------------------|--------|
| 105 | CS500-204-BA-00 | 164.5*20.1*FREE±0.2 | 19 |
| 106 | CS500-205-BA-00 | 46.57*11.8*FREE±0.2 | 19 |
| 107 | CS500-206-BA-00 | 44.0*27.47*FREE±0.2 | 19 |
| 108 | CS500-207-BA-00 | 62.0*33.0*FREE±0.2 | 19 |
| 109 | CS500-208-BA-00 | 53.5*30.0*FREE±0.2 | 19 |
| 110 | CS500-209-BA-00 | 55.1*44.1*FREE±0.2 | 19 |
| 111 | CS500-210-BA-00 | 104.0*20.0*FREE±0.2 | 19 |
| 112 | CS500-211-BA-00 | 19.95*7.1*FREE±0.2 | 19 |
| 113 | CS500-212-BA-00 | 11.92*5.7*FREE±0.2 | 20 |
| 114 | CS500-213-BA-00 | 34.5*15.0*FREE±0.2 | 20 |
| 115 | CS500-214-BA-00 | 48.0*22.0*FREE±0.2 | 20 |
| 116 | CS500-215-BA-00 | 42.0*32.0*FREE±0.2 | 20 |
| 117 | CS500-216-BA-00 | 37.5*13.0*FREE±0.2 | 20 |
| 118 | CS500-217-BA-00 | 31.6*9.8*FREE±0.2 | 20 |
| 119 | CS500-218-BA-00 | 51.0*15.1*FREE±0.2 | 20 |
| 120 | CS500-219-BA-00 | 15.7*13.5*FREE±0.2 | 20 |
| 121 | CS500-220-BA-00 | 10.0*10.0*FREE±0.2 | 21 |
| 122 | CS500-221-BA-00 | 10.0*10.0*FREE±0.2 | 21 |
| 123 | CS500-222-BA-00 | 30.0*10.0*FREE±0.2 | 21 |
| 124 | CS500-223-BA-00 | 27.0*20.0*FREE±0.2 | 21 |
| 125 | CS500-224-BA-00 | 27.0*10.0*FREE±0.2 | 21 |
| 126 | CS500-225-BA-00 | 25.0*20.0*FREE±0.2 | 21 |
| 127 | CS500-226-BA-00 | 25.0*10.0*FREE±0.2 | 21 |
| 128 | CS500-227-BA-00 | 23.0*20.0*FREE±0.2 | 21 |
| 129 | CS500-228-BA-00 | 10.0*20.0*FREE±0.2 | 22 |
| 130 | CS500-229-BA-00 | 23.0*10.0*FREE±0.2 | 22 |
| 131 | CS500-230-BA-00 | 50.0*5.0*FREE±0.2 | 22 |
| 132 | CS500-231-BA-00 | 45.0*10.0*FREE±0.2 | 22 |
| 133 | CS500-232-BA-00 | 40.0*10.0*FREE±0.2 | 22 |
| 134 | CS500-233-BA-00 | 35.0*20.0*FREE±0.2 | 22 |
| 135 | CS500-234-BA-00 | 35.0*10.0*FREE±0.2 | 22 |
| 136 | CS500-235-BA-00 | 63.95*20.1*FREE±0.2 | 22 |
| 137 | CS500-236-BA-00 | 63.95*10.1*FREE±0.2 | 23 |
| 138 | CS500-237-BA-00 | 39.05*10.1*FREE±0.2 | 23 |
| 139 | CS500-238-BA-00 | 39.05*20.1*FREE±0.2 | 23 |
| 140 | CS500-239-BA-00 | 40.0*20.0*FREE±0.2 | 23 |
| 141 | CS500-240-BA-00 | 44.0*10.1*FREE±0.2 | 23 |
| 142 | CS500-241-BA-00 | 44.0*20.1*FREE±0.2 | 23 |
| 143 | CS500-242-BA-00 | 53.96*10.1*FREE±0.2 | 23 |
| 144 | CS500-243-BA-00 | 53.96*20.1*FREE±0.2 | 23 |
| 145 | CS500-244-BA-00 | 58.95*10.1*FREE±0.2 | 24 |
| 146 | CS500-245-BA-00 | 58.95*20.1*FREE±0.2 | 24 |
| 147 | CS500-246-BA-00 | 70.0*16.0*FREE±0.2 | 24 |
| 148 | CS500-247-BA-00 | 70.0*19.08*FREE±0.2 | 24 |
| 149 | CS500-248-BA-00 | 45.0*9.15*FREE±0.2 | 24 |
| 150 | CS500-249-BA-00 | 63.49*19.2*FREE±0.2 | 24 |
| 151 | CS500-250-BA-00 | 54.0*24.0*FREE±0.2 | 24 |
| 152 | CS500-251-BA-00 | 58.0*18.0*FREE±0.2 | 24 |
| 153 | CS500-252-BA-00 | 180.01*32.81*FREE±0.2 | 25 |
| 154 | CS500-253-BA-00 | 52.0*20.7*FREE±0.2 | 25 |
| 155 | CS500-254-BA-00 | 56.0*20.0*FREE±0.2 | 25 |
| 156 | CS500-255-BA-00 | 96.0*40.0*FREE±0.2 | 25 |

| No. | Material Number | Specifications | Page # |
|-----|-----------------|-----------------------|--------|
| 157 | CS500-256-BA-00 | 56.2*20.0*FREE±0.2 | 25 |
| 158 | CS500-257-BA-00 | 34.0*5.0*FREE±0.2 | 25 |
| 159 | CS500-258-BA-00 | 159.87*63.87*FREE±0.2 | 25 |
| 160 | CS500-259-BA-00 | 57.91*11.54*FREE±0.2 | 25 |
| 161 | CS500-260-BA-00 | 47.0*7.5*FREE±0.2 | 26 |
| 162 | CS500-261-BA-00 | 40.0*11.0*FREE±0.2 | 26 |
| 163 | CS500-262-BA-00 | 44.5*6.0*FREE±0.2 | 26 |
| 164 | CS500-263-BA-00 | 44.5*5.0*FREE±0.2 | 26 |
| 165 | CS500-264-BA-00 | 32.0*25.1*FREE±0.2 | 26 |
| 166 | CS500-265-BA-00 | 90.0*24.8*FREE±0.2 | 26 |
| 167 | CS500-266-BA-00 | 64.8*6.6*FREE±0.2 | 26 |
| 168 | CS500-267-BA-00 | 53.55*20.6*FREE±0.2 | 26 |
| 169 | CS500-268-BA-00 | 44.35*13.3*FREE±0.2 | 27 |
| 170 | CS500-269-BA-00 | 38.0*7.5*FREE±0.2 | 27 |
| 171 | CS500-270-BA-00 | 45.0*8.0*FREE±0.2 | 27 |
| 172 | CS500-271-BA-00 | 72.0*30.0*FREE±0.2 | 27 |
| 173 | CS500-272-BA-00 | 27.0*5.6*FREE±0.2 | 27 |
| 174 | CS500-273-BA-00 | 35.0*21.5*FREE±0.2 | 27 |
| 175 | CS500-274-BA-00 | 78.0*2.0*FREE±0.2 | 27 |
| 176 | CS500-275-BA-00 | 38.0*7.5*FREE±0.2 | 27 |
| 177 | CS500-276-BA-00 | 50.2*13.3*FREE±0.2 | 28 |
| 178 | CS500-277-BA-00 | 33.1*22.1*FREE±0.2 | 28 |
| 179 | CS500-278-BA-00 | 44.85*28.15*FREE±0.2 | 28 |
| 180 | CS500-279-BA-00 | 43.0*7.6*FREE±0.2 | 28 |
| 181 | CS500-280-BA-00 | 43.0*7.2*FREE±0.2 | 28 |
| 182 | CS500-281-BA-00 | 44.9*11.2*FREE±0.2 | 28 |
| 183 | CS500-282-BA-00 | 81.3*13.3*FREE±0.2 | 28 |
| 184 | CS500-283-BA-00 | 29.75*6.5*FREE±0.2 | 28 |
| 185 | CS500-284-BA-00 | 23.0*7.6*FREE±0.2 | 29 |
| 186 | CS500-285-BA-00 | 80.0*21.0*FREE±0.2 | 29 |
| 187 | CS500-286-BA-00 | 25.0*18.0*FREE±0.2 | 29 |
| 188 | CS500-287-BA-00 | 37.0*8.0*FREE±0.2 | 29 |
| 189 | CS500-288-BA-00 | 29.0*21.0*FREE±0.2 | 29 |
| 190 | CS500-289-BA-00 | 50.8*8.9*FREE±0.2 | 29 |
| 191 | CS500-290-BA-00 | 58.3*5.0*FREE±0.2 | 29 |
| 192 | CS500-291-BA-00 | 41.8*19.0*FREE±0.2 | 29 |
| 193 | CS500-292-BA-00 | 170.0*20.5*FREE±0.2 | 30 |
| 194 | CS500-293-BA-00 | 60.0*18.0*FREE±0.2 | 30 |
| 195 | CS500-294-BA-00 | 114.0*10.0*FREE±0.2 | 30 |
| 196 | CS500-295-BA-00 | 36.8*22.5*FREE±0.2 | 30 |
| 197 | CS500-296-BA-00 | 20.0*9.5*FREE±0.2 | 30 |
| 198 | CS500-297-BA-00 | 74.0*12.0*FREE±0.2 | 30 |
| 199 | CS500-298-BA-00 | 39.9*8.7*FREE±0.2 | 30 |
| 200 | CS500-299-BA-00 | 39.9*8.0*FREE±0.2 | 30 |
| 201 | CS500-300-BA-00 | 95.0*11.25*FREE±0.2 | 31 |
| 202 | CS500-301-BA-00 | 35.0*35.0*FREE±0.2 | 31 |
| 203 | CS500-302-BA-00 | 48.79*48.9*FREE±0.2 | 31 |
| 204 | CS500-303-BA-00 | 50.0*50.0*FREE±0.2 | 31 |
| 205 | CS500-304-BA-00 | 61.0*61.0*FREE±0.2 | 31 |
| 206 | CS500-305-BA-00 | Ø120.0*FREE±0.2 | 31 |

Material: Aluminum 6063-T5
Multiple types of finishes are available.





MISSION STATEMENT

Cooling Source aims to deliver the highest value of services and products in a timely manner to our customers as the premier thermal solutions manufacturer, designer and service company.

COMPANY INTRODUCTION

Cooling Source, Inc. offers the most comprehensive value-added standard and custom heatsink solutions, including the latest technology to a wide range of markets. We provide design assistance and thermal analysis to help you achieve your goals. We will deliver the highest value to our customers as the premier manufacturer, designer and Service Company. Our ISO 9001-2008 and ISO 14001 certified manufacturing plant is based in main land China to ensure you the lowest cost, best quality and supply chain continuity for your volume production.





COOLING SOURCE - THE DIFFERENCE

- Provide CFD modeling of heat sinks, boards and assemblies
- Mechanical design assistance on thermal solutions and attachments
- Broadest range of manufacturing processes
- Flexible fin shape designs
- Market leader in heat-pipe solutions
- Rapid prototyping for the validation of new projects
- Dedicated customer service and support
- Competitive global market cost
- Quality System: ISO 9001-2000 certified
- 100% inspection and testing of heat sink, heat-pipe and assembly
- Short lead times

DESIGN FLEXIBILITY

Cooling Source provides the broadest range of manufacturing processes to ensure you the most cost effective thermal solution.

- Die Casting
- Machining
- Extrusion – High aspect ratio
- Folded Fin
- Forging
- Skived Fin
- Swaged Fin
- Stamped Fin
- Heat-pipe Assembly

1

COST EFFECTIVE MANUFACTURING

- Manufacture your volume requirements at our facility located in Shenzhen, China.
- RFQs, order placements and coordination performed by US - based personnel.
- Engineering and local customer service support.
- ISO 9001- 2000 certified manufacturing facility.
- High quality components with competitive, global market cost.
- Utilize suitable manufacturing processes to ensure lowest production cost.


2

ENGINEERING SUPPORT

- Provide thermal analysis of heat sinks, assemblies and boards for new designs using CFD modeling.
- Quick turn-around of prototypes and pre-production quantities to support short design cycles.
- Provide design proposal of heat sinks and thermal solution assemblies.

3


01



CS500-100-BA-00

Spec: 23.00*9.20*FREE±0.2


02



CS500-101-BA-00

Spec: 41.95*10.0*FREE±0.2


03



CS500-102-BA-00

Spec: 20.0*9.14*FREE±0.2


04



CS500-103-BA-00

Spec: 23*9.2*FREE±0.2


05



CS500-104-BA-00

Spec: 36.83*22.5*FREE±0.2


06



CS500-105-BA-00

Spec: 40.0*18.0*FREE±0.2


07



CS500-106-BA-00

Spec: 36.8*10.44*FREE±0.2


08



CS500-107-BA-00

Spec: 26.0*7.0*FREE±0.2


09



CS500-108-BA-00

Spec: 50.74*10.0*FREE±0.2


10



CS500-109-BA-00

Spec: 50.0*18.75*FREE±0.2


11



CS500-110-BA-00

Spec: 50.8*7.9*FREE±0.2


12



CS500-111-BA-00

Spec: 53.34*10.4*FREE±0.2


13



CS500-112-BA-00

Spec: 35.0*6.6*FREE±0.2


14



CS500-113-BA-00

Spec: 54.0*26.0*FREE±0.2


15



CS500-114-BA-00

Spec: 55.0*23.0*FREE±0.2


16



CS500-115-BA-00

Spec: 92.0*6.45*FREE±0.2


17



CS500-116-BA-00

Spec: 92.0*6.50*FREE±0.2


18



CS500-117-BA-00

Spec: 162.0*29.70*FREE±0.2


19



CS500-118-BA-00

Spec: 65.0*10.5*FREE±0.2


20



CS500-119-BA-00

Spec: 74.93*9.0*FREE±0.2


21



CS500-120-BA-00

Spec: 50.8*8.4*FREE±0.2


22



CS500-121-BA-00

Spec: 62.20*10.0*FREE±0.2


23



CS500-122-BA-00

Spec: 170.0*20.5*FREE±0.5


24



CS500-123-BA-00

Spec: 198.0*43.7*FREE±0.5


25



CS500-124-BA-00

Spec: 190.0*43.7*FREE±0.5


26



CS500-125-BA-00

Spec: 56.0*20.0*FREE±0.2


27



CS500-126-BA-00

Spec: 56.0*40.0*FREE±0.2


28



CS500-127-BA-00

Spec: 51.0*15.1*FREE±0.2


29



CS500-128-BA-00

Spec: 48.0*16.0*FREE±0.2


30



CS500-129-BA-00

Spec: 48.0*34.0*FREE±0.2


31



CS500-130-BA-00

Spec: 48.0*22.0*FREE±0.2


32



CS500-131-BA-00

Spec: 48.0*17.1*FREE±0.2


33



CS500-132-BA-00

Spec: 18.4*9.5*FREE±0.2


34



CS500-133-BA-00

Spec: 48.0*22.0*FREE±0.2


35



CS500-134-BA-00

Spec: 59.20*12.2*FREE±0.2


36



CS500-135-BA-00

Spec: 59.5*30.0*FREE±0.2


37



CS500-136-BA-00

Spec: 78.0*20.99*FREE±0.2


38



CS500-137-BA-00

Spec: 25.0*12.1*FREE±0.2


39



CS500-138-BA-00

Spec: 150.0*27.67*FREE±0.2


40



CS500-139-BA-00

Spec: 35.0*10.0*FREE±0.2


41



CS500-140-BA-00

Spec: 91.45*12.5*FREE±0.2


42



CS500-141-BA-00

Spec: 20.0*12.0*FREE±0.2


43



CS500-142-BA-00

Spec: 26.92*19.05*FREE±0.2


44



CS500-143-BA-00

Spec: 21.0*8.99*FREE±0.2


45



CS500-144-BA-00

Spec: 18.5*9.5*FREE±0.2


46



CS500-145-BA-00

Spec: 26.0*8.2*FREE±0.2


47



CS500-146-BA-00

Spec: 24.1*6.5*FREE±0.2


48



CS500-147-BA-00

Spec: 89.93*19.62*FREE±0.2


49



CS500-148-BA-00

Spec: 101.6*39.1*FREE±0.2


50



CS500-149-BA-00

Spec: 74.56*7.62*FREE±0.2


51



CS500-150-BA-00

Spec: 35.0*24.54*FREE±0.2


52



CS500-151-BA-00

Spec: 40.28*5.56*FREE±0.2


53



CS500-152-BA-00

Spec: 37.54*5.9*FREE±0.2


54



CS500-153-BA-00

Spec: 44.4*5.40*FREE±0.2


55



CS500-154-BA-00

Spec: 25.1*25.06*FREE±0.2


56



CS500-155-BA-00

Spec: 70.0*42.49*FREE±0.2


57



CS500-156-BA-00

Spec: 20.96*12.7*FREE±0.2


58



CS500-157-BA-00

Spec: 28.0*7.1*FREE±0.2


59



CS500-158-BA-00

Spec: 50.0*2.85*FREE±0.2


60



CS500-159-BA-00

Spec: 15.0*11.0*FREE±0.2


61



CS500-160-BA-00

Spec: 35.0*9.8*FREE±0.2


62



CS500-161-BA-00

Spec: 15.0*15.0*FREE±0.2


63



CS500-162-BA-00

Spec: 40.0*20.0*FREE±0.2


64



CS500-163-BA-00

Spec: 43.69*13.07*FREE±0.2


65



CS500-164-BA-00

Spec: 22.0*25.3*FREE±0.2


66



CS500-165-BA-00

Spec: 60.0*7.1*FREE±0.2


67



CS500-166-BA-00

Spec: 60.0*7.1*FREE±0.2


68



CS500-167-BA-00

Spec: 35.8*13.5*FREE±0.2


69



CS500-168-BA-00

Spec: 28.0*20.0*FREE±0.2


70



CS500-169-BA-00

Spec: 42.0*28.0*FREE±0.2


71



CS500-170-BA-00

Spec: 32.0*30.0*FREE±0.2


72



CS500-171-BA-00

Spec: 76.8*10.1*FREE±0.2


73



CS500-172-BA-00

Spec: 61.0*22.1*FREE±0.2


74



CS500-173-BA-00

Spec: 58.4*15.0*FREE±0.2


75



CS500-174-BA-00

Spec: 55.0*15.0*FREE±0.2


76



CS500-175-BA-00

Spec: 48.0*34.0*FREE±0.2


77



CS500-176-BA-00

Spec: 50.84*30.0*FREE±0.2


78



CS500-177-BA-00

Spec: 50.84*31.5*FREE±0.2


79



CS500-178-BA-00

Spec: 50.0*30.8*FREE±0.2


80



CS500-179-BA-00

Spec: 51.5*32.1*FREE±0.2


81



CS500-180-BA-00

Spec: 81.28*13.3*FREE±0.2


82



CS500-181-BA-00

Spec: 20.52*20.0*FREE±0.2


83



CS500-182-BA-00

Spec: 51.5*34.6*FREE±0.2


84



CS500-183-BA-00

Spec: 49.0*31.4*FREE±0.2


85



CS500-184-BA-00

Spec: 24.0*7.8*FREE±0.2


86



CS500-185-BA-00

Spec: 22.7*8.5*FREE±0.2


87



CS500-186-BA-00

Spec: 42.2*30.0*FREE±0.2


88



CS500-187-BA-00

Spec: 100.0*22.1*FREE±0.2


89



CS500-188-BA-00

Spec: 48.0*13.4*FREE±0.2


90



CS500-189-BA-00

Spec: 26.1*31.0*FREE±0.2


91



CS500-190-BA-00

Spec: 98.0*6.1*FREE±0.2


92



CS500-191-BA-00

Spec: 21.0*5.0*FREE±0.2


93



CS500-192-BA-00

Spec: 42.0*10.4*FREE±0.2


94



CS500-193-BA-00

Spec: 126.0*16.49*FREE±0.2


95



CS500-194-BA-00

Spec: 42.5*17.0*FREE±0.2


96



CS500-195-BA-00

Spec: 115.0*15.0*FREE±0.2


97



CS500-196-BA-00

Spec: 87.0*12.3*FREE±0.2


98



CS500-197-BA-00

Spec: 51.55*12.0 *FREE±0.2


99



CS500-198-BA-00

Spec: 54.0*22.6*FREE±0.2


100



CS500-199-BA-00

Spec: 14.0*9.0*FREE±0.2


101



CS500-200-BA-00

Spec: 63.5*25.0*FREE±0.2


102



CS500-201-BA-00

Spec: 28.0*25.0*FREE±0.2


103



CS500-202-BA-00

Spec: 110.0*19.0*FREE±0.2


104



CS500-203-BA-00

Spec: 37.55*10.62*FREE±0.2


105



CS500-204-BA-00

Spec: 164.5*20.1*FREE±0.2


106



CS500-205-BA-00

Spec: 46.57 *11.8*FREE±0.2


107



CS500-206-BA-00

Spec: 44.0*27.47*FREE±0.2


108



CS500-207-BA-00

Spec: 62.0*33.0*FREE±0.2


109



CS500-208-BA-00

Spec: 53.5*30.0*FREE±0.2


110



CS500-209-BA-00

Spec: 55.1*44.1*FREE±0.2


111



CS500-210-BA-00

Spec: 104.0*20.0*FREE±0.2


112



CS500-211-BA-00

Spec: 19.95*7.1*FREE±0.2


113



CS500-212-BA-00

Spec: 11.92*5.7*FREE±0.2


114



CS500-213-BA-00

Spec: 34.5*15.0*FREE±0.2


115



CS500-214-BA-00

Spec: 48.0*22.0*FREE±0.2


116



CS500-215-BA-00

Spec: 42.0*32.0*FREE±0.2


117



CS500-216-BA-00

Spec: 37.5*13.0*FREE±0.2


118



CS500-217-BA-00

Spec: 31.6*9.8*FREE±0.2


119



CS500-218-BA-00

Spec: 51.0*15.1*FREE±0.2


120



CS500-219-BA-00

Spec: 15.7*13.5*FREE±0.2


121



CS500-220-BA-00

Spec: 10.0*10.0*FREE±0.2


122



CS500-221-BA-00

Spec: 30.0*20.0*FREE±0.2


123



CS500-222-BA-00

Spec: 30.0*10.0*FREE±0.2


124



CS500-223-BA-00

Spec: 27.0*20.0*FREE±0.2


125



CS500-224-BA-00

Spec: 27.0*10.0*FREE±0.2


126



CS500-225-BA-00

Spec: 25.0*20.0*FREE±0.2


127



CS500-226-BA-00

Spec: 25.0*10.0 *FREE±0.2


128



CS500-227-BA-00

Spec: 23.0*20.0*FREE±0.2


129



CS500-228-BA-00

Spec: 10.0*20.0*FREE±0.2


130



CS500-229-BA-00

Spec: 23.0*10.0*FREE±0.2


131



CS500-230-BA-00

Spec: 50.0*5.0*FREE±0.2


132



CS500-231-BA-00

Spec: 45.0*10.0*FREE±0.2


133



CS500-232-BA-00

Spec: 40.0*10.0*FREE±0.2


134



CS500-233-BA-00

Spec: 35.0*20.0*FREE±0.2


135



CS500-234-BA-00

Spec: 35.0*10.0*FREE±0.2


136



CS500-235-BA-00

Spec: 63.95*20.1*FREE±0.2


137



CS500-236-BA-00

Spec: 63.95*10.1*FREE±0.2


138



CS500-237-BA-00

Spec: 39.05*10.1*FREE±0.2


139



CS500-238-BA-00

Spec: 39.05*20.1*FREE±0.2


140



CS500-239-BA-00

Spec: 40.0*20.0*FREE±0.2


141



CS500-240-BA-00

Spec: 44.0*10.1*FREE±0.2


142



CS500-241-BA-00

Spec: 44.0*20.1*FREE±0.2


143



CS500-242-BA-00

Spec: 53.96*10.1*FREE±0.2


144



CS500-243-BA-00

Spec: 53.96*20.1*FREE±0.2


145



CS500-244-BA-00

Spec: 58.95*10.1*FREE±0.2


146



CS500-245-BA-00

Spec: 58.95*20.1*FREE±0.2


147



CS500-246-BA-00

Spec: 70.0*16.0*FREE±0.2


148



CS500-247-BA-00

Spec: 70.0*19.08*FREE±0.2


149



CS500-248-BA-00

Spec: 45.0*9.15*FREE±0.2


150



CS500-249-BA-00

Spec: 63.49*19.2*FREE±0.2


151



CS500-250-BA-00

Spec: 54.0*24.0*FREE±0.2


152



CS500-251-BA-00


Spec: 58.0*18.0*FREE±0.2

153




CS500-252-BA-00 Spec: 180.01*32.81*FREE±0.2

154




CS500-253-BA-00 Spec: 52.0*20.7*FREE±0.2

155




CS500-254-BA-00 Spec: 56.0*20.0*FREE±0.2

156




CS500-255-BA-00 Spec: 96.0*40.0*FREE±0.2

157




CS500-256-BA-00 Spec: 56.2*20.0*FREE±0.2

158




CS500-257-BA-00 Spec: 34.0*5.0*FREE±0.2

159




CS500-258-BA-00 Spec: 159.87*63.87*FREE±0.2

160



CS500-259-BA-00 Spec: 57.91*11.54*FREE±0.2


161



CS500-260-BA-00

Spec: 47.0*7.5*FREE±0.2


162



CS500-261-BA-00

Spec: 40.0*11.0*FREE±0.2


163



CS500-262-BA-00

Spec: 44.5*6.0*FREE±0.2


164



CS500-263-BA-00

Spec: 44.5*5.0*FREE±0.2


165



CS500-264-BA-00

Spec: 32.0*25.1*FREE±0.2


166



CS500-265-BA-00

Spec: 90.0*24.8*FREE±0.2


167



CS500-266-BA-00

Spec: 64.8*6.6*FREE±0.2


168



CS500-267-BA-00

Spec: 53.55*20.6*FREE±0.2


169



CS500-268-BA-00

Spec: 44.35*13.3*FREE±0.2


170



CS500-269-BA-00

Spec: 38.0*7.5*FREE±0.2


171



CS500-270-BA-00

Spec: 45.0*8.0*FREE±0.2


172



CS500-271-BA-00

Spec: 72.0*30.0*FREE±0.2


173



CS500-272-BA-00

Spec: 27.0*5.6*FREE±0.2


174



CS500-273-BA-00

Spec: 35.0*21.5*FREE±0.2


175



CS500-274-BA-00

Spec: 78.0*2.0*FREE±0.2


176



CS500-275-BA-00

Spec: 38.0*7.5*FREE±0.2


177



CS500-276-BA-00

Spec: 50.2*13.3*FREE±0.2


178



CS500-277-BA-00

Spec: 33.1*22.1*FREE±0.2


179



CS500-278-BA-00

Spec: 44.85*28.15*FREE±0.2


180



CS500-279-BA-00

Spec: 43.0*7.6*FREE±0.2


181



CS500-280-BA-00

Spec: 43.0*7.2*FREE±0.2


182



CS500-281-BA-00

Spec: 44.9*11.2*FREE±0.2


183



CS500-282-BA-00

Spec: 81.3*13.3*FREE±0.2


184



CS500-283-BA-00

Spec: 29.75*6.5*FREE±0.2


185



CS500-284-BA-00

Spec: 23.0*7.6*FREE±0.2


186



CS500-285-BA-00

Spec: 80.0*21.0*FREE±0.2


187



CS500-286-BA-00

Spec: 25.0*18.0*FREE±0.2


188



CS500-287-BA-00

Spec: 37.0*8.0*FREE±0.2


189



CS500-288-BA-00

Spec: 29.0*21.0*FREE±0.2


190



CS500-289-BA-00

Spec: 50.8*8.9*FREE±0.2


191



CS500-290-BA-00

Spec: 58.3*5.0*FREE±0.2


192



CS500-291-BA-00

Spec: 41.8*19.0*FREE±0.2


193



CS500-292-BA-00

Spec: 170.0*20.5*FREE±0.2


194



CS500-293-BA-00

Spec: 60.0*18.0*FREE±0.2


195



CS500-294-BA-00

Spec: 114.0*10.0*FREE±0.2


196



CS500-295-BA-00

Spec: 36.8*22.5*FREE±0.2


197



CS500-296-BA-00

Spec: 20.0*9.5*FREE±0.2


198



CS500-297-BA-00

Spec: 74.0*12.0*FREE±0.2


199



CS500-298-BA-00

Spec: 39.9*8.7*FREE±0.2


200



CS500-299-BA-00

Spec: 39.9*8.0*FREE±0.2


201



CS500-300-BA-00

Spec: 95.0*11.25*FREE±0.2


202



CS500-301-BA-00

Spec: 35.0*35.0*FREE±0.2


203



CS500-302-BA-00

Spec: 48.79*48.9*FREE±0.2


204



CS500-303-BA-00

Spec: 50.0*50.0*FREE±0.2


205



CS500-304-BA-00

Spec: 61.0*61.0*FREE±0.2

206



CS500-305-BA-00

Spec: Ø120.0*FREE±0.2



- *Bonded Fin Heat sink*
- *Stamped Fin*
- *Heat-pipe Assembly*
- *Precision Forging*
- *Die Casting*
- *Skived Fin*
- *Extrusion*

Represented by:

The DiMaggio Technical Products Group

Peter J. DiMaggio

President
(978) 846-0463
peterjdimaggio@TDTPG.com
www.TDTPG.com



Manufacturers Representative to the high tech of New England

3111 Independence Dr.
Livermore, CA 94551

Tel: 888-509-2665
Tel: 925.292.1293
Fax: 925.292.5061

www.coolingsource.com